



Burt Horizontal Roll-Through Labeler: 408 & 704



Standard Features

A standard for can labeling machines for more than 100 years, the Burt horizontal roll-through labeler's rugged durability withstands the rigors of daily production, while delivering precise application. Three types of conveying ensure positive control of tin, aluminum, composite, glass, or plastic containers.

- Three types of conveying ensure positive control of tin, aluminum, composite, glass, or plastic containers
- A hot melt glue pot controlled by a digital thermostat ensures correct glue temperature before allowing machine operation
- A maintenance-free hydraulic pump and manifold applies labels smoothly and accurately
- Dual flat belt conveyor for metal cans; dual V-belt container for glass and plastic containers; single V-belt container for aerosols

Burt Horizontal Roll-Through Labeling Machine: Model 408 & 704

Reliable Labeling for Round Containers

Burt labelers can apply full-wrap labels to cylindrical containers of virtually any material, at speeds of up to 800 CPM. A variety of conveying mechanisms and adjustable belt tighteners ensure positive container control. Additionally, this machine can apply a broad range of labeling materials, including papers, foils, plastics and laminates, for maximum flexibility.

Precise, Clean Application

The Burt can labeling machine promotes excellent label control by employing a unique hydraulic feed system, which smoothly and accurately positions labels. An optional second feed allows label loading while running. Also, Burt labelers offer positive label pickup, without glue slinging, for a clean appearance.


Quick Changeover

Changeovers are quick and easy, performed with a single wrench, and can be completed in 15 minutes.

Contact Us>

The Burt labeler was made to label a wide variety of cans in various materials. The machine is durable, reliable, and an industry standard. Why choose any other labeler to get the job done? If you're unsure whether the Burt Horizontal Roll Through Labeler is the can labeling machine for you, contact us today. Our dedicated sales staff can answer any question you may have.

Attribute	Burt 408	Burt 704
Speed	Up to 800 CPM	Up to 800 CPM
Container Diameter	1.75-4.50" 45-114 mm	1.75-7.25" 45-184 mm
Container Height	1.56-10.50" 40-267 mm	1.56-10.50" 40-267 mm
Label Length	4.63-15.00" 117-381 mm	4.63-24.00" 117-610 mm
Label Width	1.50-9.25" 38-235 mm	1.50-9.25" 38-235 mm
Label Feed	Hydraulic	Hydraulic
Glue Application	Direct contact wheel or quick adjust finger for indented glass	
Paste Application	Automatic no container/no paste with adjustable pattern	
Drive Systems	.5 HP TEFC motor with an adjustable sheave drives the main belts, glue pot, paste application belt and label feed	



Angelus | Carr Centritech | Consolidated | Continental/Closetech | Hema
Mateer Burt | Multi-Tech Systems | OnTrack | Zepf Change Parts

Pneumatic Scale Angelus

4485 Allen Road
Stow, OH 44224 USA

t. +1 (330) 923-0491
psangelus.com